

Nazwa gatunkowa wirusa (w języku angielskim)	Akronim nazwy gatunku wirusa	Startery/Primery do reakcji RT-PCR	Opublikowane przez	T _{ann} (temperatura przyłączania starterów do matrycy w reakcji PCR)	Oczekiwana wielkość specyficznego produktu [p.z.]
<i>Apple chlorotic leaf spot virus</i>	ACLSV	CLSA52: cagacccttattgaagtcgaa	Candresse i wsp., 1995	54	358
		CLSA53: ggcaaccctggaacaga; przy testowaniu drzew pestkowych dodatkowo CLSSXA52: gaggcccttataaaatcaaa CLSSXA53: ggggtaacctggaacaga	Malinowski 2005	54	358
<i>Apple mosaic virus</i>	ApMV	ApMVs:atccgagtgaaactctatcctctaa MenApMVa:gtaactcactcgttatcacgtacaa	Menzel i wsp. 2002	62	262
<i>Apple stem grooving virus</i>	ASGV	ASGs: gccactctaggcagaactctttgaa ASGa: aaccctttgtcctcagtagcga	Menzel i wsp. 2002	62	273
<i>Apple stem pitting virus</i>	ASPV	ASPV9019: ctcttgaaaccagctgatggc ASPV9263: atagccgccccggttaggt	Schwarz i Jelkmann, 1998	55	264
		ASPF1CP: ggggtactttgaggcagtatt ASPR3CP: gagcggatgcggtacatctgtat	Komorowska i wsp., 2010	55	257
<i>Apricot latent virus</i>	ApLV	ApLV-F: ggaatagagccccaagaag ApLV-R: agcaaggtaaacgccaac	Nemchinov i Hadidi, 1998	58	200
<i>Arabis mosaic virus</i>	ArMV	H428: gcgccgattgggagtt C867: cgatgtagggggagcgtatt	Nassuth i wsp., 2000	55	440
<i>Arabis mosaic virus</i>	ArMV	ArMV-F: ttaatttctctgccgcaagg ArMV-R: trgcagccrtcccascagg	Massumi i wsp., 2009	55	810
<i>Prune dwarf virus</i>	PDV	PDVdetfor: cgattggttaactcactttg PDVdetrev: gtacgagatatcataccgg alternatywny primer reverse: PDVdetmod:cggtacgagatatcatacc	Vaskova i wsp. 2000	50	268
			Malinowski, nieopublikowane		
<i>Cherry green ring mottle virus</i>	CGRMV	GRM8316: cctatagccagtctcatattatg GRM7950: gcagccttgactttttgag	Rott i Jelkmann 2001	52	366
<i>Cherry leaf roll virus</i>	CLRV	RW1: gtcggaagattacgtaaaagg RW2: tggcgaccgtgaaccgc	Werner i in. 1997	51	416
<i>Cherry necrotic rusty mottle virus</i>	CNRMV	NEG1U: agttcgcagcyttgaytytttg NEG1L: gakggrwtgcgrggttatca	Rott i Jelkmann 2001	52	257

2020_04_Parametry reakcji RT-PCR do metodyk szk_17kw

<i>Little cherry virus 1</i>	LChV-1	LCV1U16390: tccgcctgaagcacctaatcca LCV1L16809: ggtaagcggataaaaaccctcctct	Rott, Jelkmann 2001	56	420
<i>Little cherry virus 2</i>	LChV-2	LCV2UP2: ctccggctatatgggtgatgtta LCV2LO2: ccgaatgcagtggggatagg	Rott, Jelkmann 2001	55	438
<i>Cherry mottle leaf virus</i>	CMLV	CML-7749U: agattcgagaaggcggagtg CML-8003L: atagtaaaatatttaaagtctatag	Isogai i in. 2004	50	693
<i>Raspberry ringspot virus</i>	RpRSV	RpRSV-F1: tgtgtctgcttttgatgct RpRSV-R1: gagtgcgataggggctgtt	Ochoa-Corona et al., 2005	61	385
<i>Tomato black ring virus</i>	TBRV	TBRV-70F gctcgtaacagttgaggagatat TBRV-70R tgccacactgtcatggga TBRV-70P FAM-tgcataggctcactcctggga-NFQ	Harper et al., 2011	62	72
<i>Plum pox virus</i>	PPV	P1: accgagaccactacactccc P2: cagactacagcctcgccaga	Wetzel i wsp. 1991	62	243
<i>Prunus necrotic ring spot virus</i>	PNRSV	NRSCPF3: atggttgccgaattgcaatcat NRSCPR4: gagtgtgcttatctcactctag	Malinowski i Komorowska 1998	53	671
<i>Myrobalan latent ring spot virus</i>	MLRSV	---			
<i>Strawberry latent ring spot virus</i>	SLRSV	SLRSV-5D: ccctgggtactttacctcctcattgtcc SLRSV-3D: aggctcaagaaacacac	Faggioli i in. 2002	55	293
<i>Peach latent mosaic viroid</i>	PLMVd	CPLMVd: aactgcagtgctccgt HPLMVd: cccgatagaaggctaagcacctcg	Shamloul i in., 2002	60	337
<i>Pear blister canker viroid</i>	PBCVd	CPBCVd: ccttcgtcgacgacga HPBCVd: gtctagaagcctggcgctggctgg	Shamloul i in., 2002	60	316
<i>Apple scar skin viroid</i>	ASSVd	AS-37: cggtgacaaaggagctgccag ADAS-36: gcctcgtcgacgacgacag	Di Serio i in., 2002	58	330
<i>Apple dimple fruit viroid</i>	ADFVd	AD-38: cctttgagacttgaccggtcctc ADAS-36: gcctcgtcgacgacgacag	Di Serio i in., 2002	58	254

Candresse, T., Macquaire, G., Dunez, J., Grasseau, N., Malinowski, T., 1995. An immunocapture PCR assay adapted to the detection and analysis of the molecular variability of *Apple chlorotic leaf spot virus*. Acta Hort. 386, 136–147.

Di Serio F., Malfitano M., Alioto D., Ragozzino A., Flores R., 2002. APPLE DIMPLE FRUIT VIROID: SEQUENCE VARIABILITY AND ITS SPECIFIC DETECTION BY MULTIPLEX FLUORESCENT RT-PCR IN THE PRESENCE OF APPLE SCAR SKIN VIROID. J. Plant Pathology 84 (1): 27-34.

Faggioli F., Ferretti L., Pasquini G., Barba M., 2002. Detection of Strawberry latent ring spot virus in Leaves of Olive Trees in Italy using a One-Step RT–PCR. J. Phytopathol. 150:636-639.

- Harper S.J., Delmiglio C., Ward L.I., Clover G. 2011. Detection of *Tomato black ring virus* by real-time one-step RT-PCR. *Journal of Virological Methods* 171 (1): 190–194
- Harper, S J; Delmiglio, C; Ward, L I; Clover, G R G (2011) Detection of *Tomato black ring virus* by real-time one-step RT-PCR. *Journal of Virological Methods* 171: 190-194.
- Isogai, M., Aoyagi, J., Nakagawa, M. *et al.* 2004. Molecular detection of five cherry viruses from sweet cherry trees in Japan. *J Gen Plant Pathol* **70**, 288–291 (2004). <https://doi.org/10.1007/s10327-004-0129-4>.
- Malinowski T., Komorowska B., 1998. Metoda powielenia genu białka płaszczka (CP) wirusa nekrotycznej plamistości pierścieniowej drzew pestkowych (PNRSV) i jej zastosowanie. *Materiały Ogólnopol. Konf. Ochr. Rośl. Sad. Skierniewice, 19-20 lutego 1998 r.* 187-189.
- Malinowski, T., 2005. Potential problems with the reliability of PCR based diagnostic methods related to plant viruses sequence variation. *Phytopathol. Polon.* 35, 125–139.
- Massumi, H., Shaabani, M., Hosseini Pour, A., Heydarnejad, J., and Rahimian, H. 2009. Incidence of viruses infecting tomato and their natural hosts in the southeast and central regions of Iran. *Plant Dis.* 93:67-72.
- Menzel, W., Jelkmann, W., Maiss, E., 2002. Detection of four apple viruses by multiplex RT-PCR assays with coamplification of plant mRNA as internal control. *J. Virol. Methods* 99, 81–92
- Nemchinov L., Hadidi A., 1998. *Apricot latent virus*: a novel stone fruit pathogen and its relationship to *apple stem pitting virus*. *Acta Hort.* 472:159-173.
- Ochoa-Corona, F M; Lebas, B S M; Tang, J; Bootten, T J; Stewart, F J; Elliott, D R; Alexander, B J R (2005) Diagnosis and strain typing of *Pepino mosaic virus* and *Raspberry ringspot virus* by RT-PCR and SSCP. *The 15th biennial Australasian plant pathology society conference handbook*; p 259.
- Ragozzino E., Faggioli F., Barba M., 2004. Development of a one tube-one step RT-PCR protocol for the detection of seven viroids in four genera: *Apscaviroid*, *Hostuviroid*, *Pelamoviroid* and *Pospiviroid*. *J. Virol. Meth.* 121:25–29.
- Rott M.E., Jelkmann W., 2001. Characterization and Detection of Several Filamentous Viruses of Cherry: Adaptation of an Alternative Cloning Method (DOP-PCR), and Modification of an RNA Extraction Protocol. *EJPP.*107 (4) 411-420. DOI 10.1023/A:1011264400482
- Rott, M.E., Jelkmann, W. 2001. Development of PCR primer pairs for the characterization and detection of several related filamentous viruses of cherry. *Acta Hort.* 550, 199-206. DOI: 10.17660/ActaHortic.2001.550.28
- Schwarz, K., Jelkmann, W., 1998. Detection and characterization of apple stem pitting virus sources from apple and pear by PCR and partial sequence analysis. *Acta Hort.* 472 (1), 75–85.
- Shamloul A.M., F. Faggioli, J.M. Keith , A. Hadidi 2002. A novel multiplex RT-PCR probe capture hybridization (RT-PCR-ELISA) for simultaneous detection of six viroids in four genera: *Apsca_roid*, *Hostu_roid*, *Pelamoviroid*, and *Pospiviroid*
- Vaskova, D., Petrzik, K., & Spak, J. 2000. Molecular variability of the capsid protein of the prune dwarf virus. *European Journal of Plant Pathology*, 106, 573–580.
- Werner i in. 1997, Detection of cherry leaf roll nepovirus (CLRV) in birch, beech and petunia by immuno-capture RT-PCR using a conserved primer pair *Eur. J. Forest Pathol.*, 27:309-318