

Dr. Agata Broniarek-Niemiec

The National Institute of Horticultural Research Skierniewice, Poland









Task 2.4. THE HEALTH STATUS AND PRODUCTIVITY OF BLACKCURRANT MOTHER PLANTS

• Five blackcurrant cultivars: 'Ben Gairn', 'Ben Tron', 'Narve Viking', 'Polares' and 'Tihope'





- In three fruit production systems:
 - 1. Integrated Protection (IP)
 - 2. Reduced Integrated Protection (reduced IP)
 - 3. Biological Protection (ECO)



Task 2.4. THE HEALTH STATUS AND PRODUCTIVITY OF BLACKCURRANT MOTHER PLANTS


Production system	Date	Fungicides and dose per	Active substance
	of treatment	1 ha	
Integrated Protection (IP)	14.04.2022	Siarkol 80 WP – 4.0 kg	sulfur
	18.05.2022	Zato 50 WG – 0.2 kg	trifloxystrobin
	02.06.2022	Signum 33 WG – 1.8 kg	pyraclostrobin + boscalid
	20.06.2022	Luna Sensation 500 SC -	fluopyram + trifloxystrobin
		0.8	
Reduced Integrated Protection (reduced IP)	14.04.2022	Siarkol 80 WP – 4.0 kg	sulfur
	18.05.2022	Miedzian 50 WP – 3.0 kg	copper oxychloride
	02.06.2022	Zato 50 WG – 0.2 kg	trifloxystrobin
	20.06.2022	Armicarb SP – 5.0 kg	potassium bicarbonate
	14.04.2022	Siarkol 80 WP – 4.0 kg	sulfur
Biological	18.05.2022	Miedzian 50 WP – 3.0 kg	copper oxychloride
Protection (ECO)	02.06.2022	Armicarb SP – 5 kg	potassium bicarbonate
	20.06.2022	Miedzian 50 WP – 3,0 kg	copper oxychloride



Task 2.4. THE HEALTH STATUS AND PRODUCTIVITY OF BLACKCURRANT MOTHER PLANTS

- The first assessment of disease severity 25th July, 2022
- No symptoms of the <u>powdery mildew</u> (*Podosphaera mors-uvae*) and <u>white pine blister</u>
 <u>rust (WPBR)</u> (*Cronartium ribicola*)
- The symptoms of the leaf spot (Drepanopeziza ribis) in low severity were observed on

plants of all tested cultivars in all the production systems



• The second assessment of diseases severity - in early September

NIBIO

• The assessment of the productivity of mother plants - autumn after the end of vegetation

• Five blackcurrant cultivars:



- In three fruit production systems:
 - 1. Integrated Protection (IP)
 - 2. Reduced Integrated Protection (reduced IP)
 - 3. Biological Protection (ECO)






Production system	Date	Fungicides and dose per	Active substance
	of treatment	1 ha	
Integrated Protection (IP)	14.04.2022	Siarkol 80 WP – 4,0 kg	sulfur
	18.05.2022	Zato 50 WG – 0.2 kg	trifloxystrobin
	02.06.2022	Signum 33 WG – 1.8 kg	pyraclostrobin + boscalid
	20.06.2022	Luna Sensation 500 SC –	fluopyram + trifloxystrobin
		0.8 kg	
Reduced Integrated Protection (reduced IP)	14.04.2022	Siarkol 80 WP – 4 kg	sulfur
	18.05.2022	Miedzian 50 WP – 3.0 kg	copper oxychloride
	02.06.2022	Zato 50 WG – 0.2 kg	trifloxystrobin
	20.06.2022	Armicarb SP – 5 kg	potassium bicarbonate
	14.04.2022	Siarkol 80 WP – 4,0 kg	sulfur
Biological	18.05.2022	Miedzian 50 WP – 3,0 kg	copper oxychloride
Protection (ECO)	02.06.2022	Armicarb SP – 5 kg	potassium bicarbonate
	20.06.2022	Miedzian 50 WP – 3,0 kg	copper oxychloride



- The first assessment of disease severity 25th July, 2022
- No symptoms of the **powdery mildew** and **white pine blister rust**
- The symptoms of the <u>leaf spot</u> in low severity were observed on plants of all tested cultivars in all the production systems



• The second assessment of diseases severity - in early September




• Harvest of blackcurrant:

5th July – 'Ben Gairn' and ' Ben Tron'

11th July – 'Tihope'

12th July – 'Polares'



 In any tested samples, no exceedances of the maximum residue levels (MRLs) of pesticide were found.



www.inhort.pl







THANK YOU FOR YOUR ATTENTION

